

Lightning Gloves

Lightning Storm

POWDER FREE NITRILE EXTENDED CUFF GLOVES

NEW!



9 mils thick!



Exceptional Comfort in a Tough Nitrile Glove!

Lightning Storm nitrile gloves are soft and durable for high-risk applications. This strong nitrile formulation makes for a comfortable, true-fitting glove that reduces hand fatigue over long periods of wear. An extended cuff protects the wrist and forearm, and it's textured for better wet and dry gripping.

- **Soft and durable nitrile formulation for improved strength, durability and greater comfort**
- **Extended 12 inch cuff for added protection where you need it most**
- **Textured fingertips for reliable grip in wet and dry conditions**
- **Nitrile formulation alleviates the potential for adverse reactions associated with natural rubber latex proteins**
- **Approved for Medical Use**
- **Powder Free**
- **Ambidextrous**

Item Number	Size
LS-S	SMALL
LS-M	MEDIUM
LS-L	LARGE
LS-XL	X-LARGE

50 Gloves by weight

Lightning Storm

POWDER FREE NITRILE EXTENDED CUFF GLOVES SPECIFICATIONS

MATERIAL

Nitrile

OUTER SURFACE

Free from glove powder, textured

DONNING POWDER

Free from glove powder

COMPONENTS

100% Acrylonitrile-butadiene (nitrile), a synthetic co-polymer

SHAPE

Ambidextrous, straight fingers, thumb and fingers in one plane. Extended beaded cuff.

SIZES

Small (S), Medium (M), Large (L), Extra Large (XL)

PACKAGING

500 gloves per case, by weight, 10 boxes per case 50 gloves per dispenser box, by weight

COLOR

Blue

PIN HOLES AND VISUAL DEFECT

Assurance Action Sampling Inspection by destructive and visual test procedures

GOOD MANUFACTURING PRACTICE

The gloves are manufactured in compliance with the Current Good Manufacturing Practice (GMP) Requirements in the United States of America as appropriate for patient examination gloves (Federal Register, Part 820)

ISO 9000

Quality System Certified to International Standards Organization 9002. Model for Quality Assurance in Production, Installation and Servicing. Accreditation Number: QSC-4674

COUNTRY OF ORIGIN

China

QUALITY CHARACTERISTICS

Physical Dimensions

Width	Small	80 mm	+/- 10 mm
	Medium	95 mm	+/- 10 mm
	Large	110 mm	+/- 10 mm
	X-Large	120 mm	+/- 10 mm
(inches / mm)			
Length	S-XL	12.0 / 290 mm	+/- 20 mm
	(mils / mm)		
Thickness	Cuff	8.0 / 0.20	+/- 0.03 mm
	Palm	8.0 / 0.20	+/- 0.03 mm
	Fingertips	9.4 / 0.24	+/- 0.03 mm

©2013 ATLANTIC SAFETY PRODUCTS, INC. ALL RIGHTS RESERVED. 2013.083